













# framed

Framed is a collection of basic geometric shapes that are hot rolled into a steel profile. The lighting system is incorporated in the steel frame. The light lines displayed by this design emphasizes the interior architecture in a unique way. They create a light spectacle against the wall or ceiling or table.

The robust steel frame gives this collection a high usability and unbounded possibilities in terms of shape and scale.





Copyright: The Art of Living Photography: Dré Wouters Architect: Bob Manders

# framed

### suspension up-down







gunmetal powder coated




\* WH powder coated



\* AN anodic brown powder coated



FR.200.SU.UP/DOWN.CS



Order code

#### FR.120.SU.UP/DOWN.\*

Dimensions

Wxdxh 120x2,5x7cm Standard cable length 200cm

Lightsource

LED 13W up - 19W down / 2700K

Weight/Packaging Net. weight 4kg

Gross weight 6kg 125x16,5x16,5cm Packaging

Dimmer

Dimmable driver DALI / 1-10V

Dimmer not included

Wireless lighting control on request

Order code

#### FR.160.SU.UP/DOWN.\*

Dimensions

Wxdxh 160x2,5x7cm Standard cable length 200cm

Lightsource

LED 19W up – 26W down / 2700K

Weight/Packaging Net. weight 5,5kg Gross weight 8kg

165x16,5x16,5cm Packaging Dimmer

Dimmable driver DALI / 1-10V

Dimmer not included Wireless lighting control on request Order code

#### FR.200.SU.UP/DOWN.\*

Dimensions

Wxdxh 200x2,5x7cm Standard cable length **200cm** 

Lightsource

LED 24W up – 34W down / 2700K Weight/Packaging

Net. weight 7kg Gross weight 9,5kg

Packaging **205x16,5x16,5cm** 

Dimmer

Dimmable driver DALI / 1-10V

Dimmer not included

Wireless lighting control on request



# framed

## leaning floor lamp





FR.225.FL/CS



Order code				
FR.225.FL.*				
Dimensions				
Wxdxh	10x2,5x225cm			
Lightsource				
LED 40W / 2700K				
Weight/Packag	ing			
Net. weight	10kg			
Gross weight	12kg			
Packaging	230x16,5x16,5cm			
Dimmer				


Floor dimmer switch included

# framed

## suspension lamp circle









FR.100.CI.CS & FR.170.CI.CS



Order code		Order code		
R.70.*		FR.100.*		
Dimensions		Dimensions		
ð	70cm	Ø	100cm	
Standard cable length	200cm	Standard cable length	200cm	
ightsource		Lightsource		
ED 16W / 2700K		LED 24W / 2700K		
Weight		Weight		
Net. weight	6kg	Net. weight	8kg	
Dimmer		Dimmer		
Dimmable driver		Dimmable driver		
DALI / 1-10V		DALI / 1-10V		
Dimmer not included		Dimmer not included		
Wireless lighting control on		Wireless lighting control on		
request		request		



Order code	Orde
FR.135.*	FR.1
Dimensions	Dim
Ø 135cm	Ø
Standard cable length 200cm	Stan
Lightsource	Ligh
LED 30W / 2700K	LED
Weight	Weig
Net. weight 10kg	Net.
Dimmer	Dim
Dimmable driver	Dim
DALI / 1-10V	DAL
Dimmer not included	Dim
Wireless lighting control on	Wire
request	requ



Order code	
FR.170.*	
Dimensions	
Ø	170cm
Standard cable length	200cm
Lightsource	
LED 40W / 2700K	
Weight	
Net. weight	12kg
Dimmer	
Dimmable driver	
DALI / 1-10V	
Dimmer not include	d
Wireless lighting cor	ntrol on
request	

Additional options are possible concerning

- \* LED color (2700K is standard, 3000K or 4000K can be supplied on request)
- \* Other drivers, diameters, materials, down-light or up&down light on request

