jacco maris

jaccomaris.com

framed

suspension lamp circle

wall circle suspension

suspension up-down

leaning floor lamp

jacco maris
jaccomaris.com

framed

Framed is a collection of basic geometric shapes that are hot rolled into a steel profile. The lighting system is incorporated in the steel frame. The light lines displayed by this design emphasizes the interior architecture in a unique way. They create a light spectacle against the wall or ceiling or table.

The robust steel frame gives this collection a high usability and unbounded possibilities in terms of shape and scale.

Copyright: The Art of Living
Photography: Dré Wouters
Architect: Bob Manders

framed

framed suspension lamp circle (suitable as up light or down light)

FR.100.CI.CS & FR.170.CI.CS

colors & materials

*** CS**
coated bare steel

*** WH**
white
powder coated

*** AN**
anodic brown
powder coated





Order code	
FR.70.CI.*	
Dimensions	
Ø	**70cm**
Standard cable length	**200cm**
Light source **neon flex LED**	
30W / 2700K / 1350 lm	
Weight	
Net. weight	**6kg**
Dimmer	
Dimmable driver	
DALI / 1-10V / push dim or TRIAC	
Dimmer not included	
Standard driver box	
24x8x4cm (color as fixture)	
Wireless lighting control on request	



Order code	
FR.100.CI.*	
Dimensions	
Ø	**100cm**
Standard cable length	**200cm**
Light source **neon flex LED**	
45W / 2700K / 2100 lm	
Weight	
Net. weight	**8kg**
Dimmer	
Dimmable driver	
DALI / 1-10V / push-dim or TRIAC	
Dimmer not included	
Standard driver box	
24x8x4cm (color as fixture)	
Wireless lighting control on request	



Order code	
FR.135.CI.*	
Dimensions	
Ø	**135cm**
Standard cable length	**200cm**
Light source **neon flex LED**	
55W / 2700K / 2600 lm	
Weight	
Net. weight	**10kg**
Dimmer	
Dimmable driver	
DALI / 1-10V / push-dim or TRIAC	
Dimmer not included	
Standard driver box	
24x8x4cm (color as fixture)	
Wireless lighting control on request	



Order code	
FR.170.CI.*	
Dimensions	
Ø	**170cm**
Standard cable length	**200cm**
Light source **neon flex LED**	
75W / 2700K / 3500 lm	
Weight	
Net. weight	**12kg**
Dimmer	
Dimmable driver	
DALI / 1-10V / push-dim or TRIAC	
Dimmer not included	
Standard driver box	
24x8x4cm (color as fixture)	
Wireless lighting control on request	

IP 20 Other LED, diameters and materials on request.

framed

framed wall circle suspension

FR.100.WA.CI.T2.AN

colors & materials

*** CS**
coated bare steel

*** WH**
white
powder coated

*** AN**
anodic brown
powder coated





Order code
FR.100.WA.CI.T1.*
Dimensions
Ø **100cm**
Standard cable length **200cm**
Light source **neon flex LED**
45W / 2700K / 2100 lm
Weight
Net. weight **8kg**
Dimmer
Dimmable driver
DALI / 1-10V / push-dim or TRIAC
Dimmer not included
Standard driver box
24x8x4cm (color as fixture)
Wireless lighting control on request

Order code
FR.100.WA.CI.T2.*
Dimensions
Ø **100cm**
Standard cable length **200cm**
Light source **neon flex LED**
45W / 2700K / 2100 lm
Weight
Net. weight **8kg**
Dimmer
Floor dimmer switch included

T1 = using two suspension cables that are directly attached to the ceiling
T2 = using a bracket on the wall

IP 20 Other sizes, materials or drivers on request.

framed

suspension up-down

FR.200.SU.UP/DOWN.CS

colors & materials

*** GM**
gunmetal
powder coated

*** WH**
white
powder coated

*** AN**
anodic brown
powder coated



Order code	
FR.120.SU.UP/DOWN.*	
Dimensions	
Wxdxh	**120x2,5x7cm**
Standard cable length	**200cm**
Light source	
LED 13W up – 19W down /	
2700K / 1750 lm	
Weight/Packaging	
Net. weight	**4kg**
Gross weight	**6kg**
Packaging	**125x16,5x16,5cm**
Dimmer	
Dimmable driver	
Driver DALI / 1-10V / push-dim	
or TRIAC-driver	
Dimmer not included	



Order code	
FR.160.SU.UP/DOWN.*	
Dimensions	
Wxdxh	**160x2,5x7cm**
Standard cable length	**200cm**
Light source	
LED 19W up – 26W down /	
2700K / 2500 lm	
Weight/Packaging	
Net. weight	**5,5kg**
Gross weight	**8kg**
Packaging	**165x16,5x16,5cm**
Dimmer	
Dimmable driver	
Driver DALI / 1-10V / push-dim	
or TRIAC-driver	
Dimmer not included	



Order code	
FR.200.SU.UP/DOWN.*	
Dimensions	
Wxdxh	**200x2,5x7cm**
Standard cable length	**200cm**
Light source	
LED 24W up – 34W down /	
2700K / 3200 lm	
Weight/Packaging	
Net. weight	**7kg**
Gross weight	**9,5kg**
Packaging	**205x16,5x16,5cm**
Dimmer	
Dimmable driver	
Driver DALI / 1-10V / push-dim	
or TRIAC-driver	
Dimmer not included	

IP 20 Other sizes, materials or drivers on request.

framed
leaning floor lamp

FR.225.FL/CS



colors & materials

*** CS**
coated bare steel

*** WH**
white
powder coated

*** AN**
anodic brown
powder coated

Order code	
FR.225.FL.*	
Dimensions	
Wxdxh	**10x2,5x225cm**
Light source	
LED strip 40W LED / 2700K / 3840 lm	
Weight/Packaging	
Net. weight	**10kg**
Gross weight	**12kg**
Packaging	**230x16,5x16,5cm**
Dimmer	
Floor dimmer switch included	

IP 20 Other sizes, materials or drivers on request.