



framed

suspension lamp circle    wall circle suspension    suspension up-down    leaning floor lamp









## framed

Framed is a collection of basic geometric shapes that are hot rolled into a steel profile. The lighting system is incorporated in the steel frame. The light lines displayed by this design emphasizes the interior architecture in a unique way. They create a light spectacle against the wall or ceiling or table.

The robust steel frame gives this collection a high usability and unbounded possibilities in terms of shape and scale.






Copyright: The Art of Living  
Photography: Dré Wouters  
Architect: Bob Manders



# framed


suspension lamp circle (suitable as up light or down light)



## colors & materials




**\* CS**  
coated bare steel



**\* WH**  
white  
powder coated



**\* AN**  
anodic brown  
powder coated




FR.100.CI.CS & FR.170.CI.CS




Ø

Order code	<b>FR.50.CI.*</b>
Dimensions	Ø <b>50cm</b>
Standard cable length	<b>200cm</b>
Light source	<b>neon flex LED 25W / 2700K / 1050 lm</b>
Weight	
Net. weight	<b>4,2kg</b>
Dimmer	
Dimmable driver	<b>DALI / 1-10V / push dim or TRIAC</b>
Dimmer not included	<b>Dimmer not included</b>
Standard driver box	<b>24x8x4cm</b>
(color as fixture)	




Ø

Order code	<b>FR.70.CI.*</b>
Dimensions	Ø <b>70cm</b>
Standard cable length	<b>200cm</b>
Light source	<b>neon flex LED 30W / 2700K / 1350 lm</b>
Weight	
Net. weight	<b>6kg</b>
Dimmer	
Dimmable driver	<b>DALI / 1-10V / push dim or TRIAC</b>
Dimmer not included	<b>Dimmer not included</b>
Standard driver box	<b>24x8x4cm</b>
(color as fixture)	




Ø

Order code	<b>FR.100.CI.*</b>
Dimensions	Ø <b>100cm</b>
Standard cable length	<b>200cm</b>
Light source	<b>neon flex LED 45W / 2700K / 2100 lm</b>
Weight	
Net. weight	<b>8kg</b>
Dimmer	
Dimmable driver	<b>DALI / 1-10V / push-dim or TRIAC</b>
Dimmer not included	<b>Dimmer not included</b>
Standard driver box	<b>24x8x4cm</b>
(color as fixture)	



Ø

Order code	<b>FR.135.CI.*</b>
Dimensions	Ø <b>135cm</b>
Standard cable length	<b>200cm</b>
Light source	<b>neon flex LED 55W / 2700K / 2600 lm</b>
Weight	
Net. weight	<b>10kg</b>
Dimmer	
Dimmable driver	<b>DALI / 1-10V / push-dim or TRIAC</b>
Dimmer not included	<b>Dimmer not included</b>
Standard driver box	<b>24x8x4cm</b>
(color as fixture)	




Ø

Order code	<b>FR.170.CI.*</b>
Dimensions	Ø <b>170cm</b>
Standard cable length	<b>200cm</b>
Light source	<b>neon flex LED 75W / 2700K / 3500 lm</b>
Weight	
Net. weight	<b>12kg</b>
Dimmer	
Dimmable driver	<b>DALI / 1-10V / push-dim or TRIAC</b>
Dimmer not included	<b>Dimmer not included</b>
Standard driver box	<b>24x8x4cm</b>
(color as fixture)	




# framed

## wall circle suspension




FR.100.WA.CI.T2.AN


### colors & materials




**\* CS**  
coated bare steel



**\* WH**  
white  
powder coated



**\* AN**  
anodic brown  
powder coated



Order code

**FR.100.WA.CI.T1.\***

Dimensions

Ø **100cm**

Standard cable length **200cm**

Light source **neon flex LED**

**45W / 2700K / 2100 lm**

Weight

Net. weight **8kg**

Dimmer

**Dimmable driver**


**DALI / 1-10V / push-dim or TRIAC**

**Dimmer not included**

Standard driver box

**24x8x4cm (color as fixture)**

Wireless lighting control on request



Order code

**FR.100.WA.CI.T2.\***

Dimensions

Ø **100cm**

Standard cable length **200cm**

Light source **neon flex LED**

**45W / 2700K / 2100 lm**

Weight

Net. weight **8kg**

Dimmer

**Floor dimmer switch included**

T1 = using two suspension cables that

are directly attached to the ceiling

T2 = using a bracket on the wall




# framed

## suspension up-down




### colors & materials



**\* GM**  
gunmetal  
powder coated




**\* WH**  
white  
powder coated




**\* AN**  
anodic brown  
powder coated


FR.200.SU.UP/DOWN.CS



Order code	
<b>FR.120.SU.UP/DOWN.*</b>	
Dimensions	
Wxdxh	<b>120x2,5x7cm</b>
Standard cable length	<b>200cm</b>
Light source	
<b>LED 13W up – 19W down / 2700K / 1750 lm</b>	
Weight/Packaging	
Net. weight	<b>4kg</b>
Gross weight	<b>6kg</b>
Packaging	<b>125x16,5x16,5cm</b>
Dimmer	
<b>Dimmable driver</b>	
<b>Driver DALI / 1-10V / push-dim or TRIAC-driver</b>	
<b>Dimmer not included</b>	



Order code	
<b>FR.160.SU.UP/DOWN.*</b>	
Dimensions	
Wxdxh	<b>160x2,5x7cm</b>
Standard cable length	<b>200cm</b>
Light source	
<b>LED 19W up – 26W down / 2700K / 2500 lm</b>	
Weight/Packaging	
Net. weight	<b>5,5kg</b>
Gross weight	<b>8kg</b>
Packaging	<b>165x16,5x16,5cm</b>
Dimmer	
<b>Dimmable driver</b>	
<b>Driver DALI / 1-10V / push-dim or TRIAC-driver</b>	
<b>Dimmer not included</b>	



Order code	
<b>FR.200.SU.UP/DOWN.*</b>	
Dimensions	
Wxdxh	<b>200x2,5x7cm</b>
Standard cable length	<b>200cm</b>
Light source	
<b>LED 24W up – 34W down / 2700K / 3200 lm</b>	
Weight/Packaging	
Net. weight	<b>7kg</b>
Gross weight	<b>9,5kg</b>
Packaging	<b>205x16,5x16,5cm</b>
Dimmer	
<b>Dimmable driver</b>	
<b>Driver DALI / 1-10V / push-dim or TRIAC-driver</b>	
<b>Dimmer not included</b>	




# framed

## leaning floor lamp



FR.225.FL/CS



Order code

**FR.225.FL.\***

Dimensions

Wxdxh **10x2,5x225cm**

Light source

**LED strip 40W LED / 2700K / 3840 lm**

Weight/Packaging

Net. weight **10kg**


Gross weight **12kg**

Packaging **230x16,5x16,5cm**

Dimmer

**Floor dimmer switch included**


### colors & materials



**\* CS**  
coated bare steel



**\* WH**  
white  
powder coated



**\* AN**  
anodic brown  
powder coated