

jacco
maris



fosh

suspension lamp wall lamp






FO.WA.T1.EX.CL
fosh wall lamp type 1 extended driver tundra clay

fosh

Fosh stands for Free Organic Shape. With its soft, flowing lines and refined leather finish, Fosh brings a natural elegance to any space. Jacco Maris designed unique shapes that can stand alone or be combined for greater impact. This fixture combines advanced technology with a refined aesthetic, creating a warm, sophisticated atmosphere that contributes to luxurious interiors. The Fosh suspension is available as an uplighter, downlighter, and combined uplight/downlight versions. In addition, the T1 and T2 are also available as wall-mounted fixtures.



FO.SU.T1.CL, FO.SU.T5.CL & FO.SU.T2.CL
fosh suspension lamp type 1 tundra clay, fosh suspension lamp type 5 tundra clay
& fosh suspension lamp type 2 tundra clay



FO.SU.T1.CL, FO.SU.T5.CL & FO.SU.T2.CL
fosh suspension lamp type 1 tundra clay, fosh suspension lamp type 5
tundra clay & fosh suspension lamp type 2 tundra clay





FO.WA.T1.EX.CL
fosh wall lamp, type 1 extended driver tundra clay

fosh

suspension lamp down




FO.SU.T1.DOWN.CL

fosh suspension lamp down type 1 tundra clay


colors & materials

* Add the code you require to the main part number or check our price list for a total part number overview.


Check www.jaccommaris.com for the latest colors, materials and details or scan the QR code.



wxdxh ca 80x58x4,5cm
type T1



wxdxh ca 115x70x4,5cm
type T2



wxdxh ca 185x60x4,5cm
type T5

Order code	FO.SU.T1.DOWN.*
Dimensions wxdxh ca	80x58x4,5cm
Standard cable length	300cm
Light source	integrated LED 30W / 2700K / 950 lm
Net. weight	3kg
Driver	dimmable 24V driver dimmer not included

Order code	FO.SU.T2.DOWN.*
Dimensions wxdxh ca	115x70x4,5cm
Standard cable length	300cm
Light source	integrated LED 44W / 2700K / 1400 lm
Net. weight	3,5kg
Driver	dimmable 24V driver dimmer not included

Order code	FO.SU.T5.DOWN.*
Dimensions wxdxh ca	185x60x4,5cm
Standard cable length	300cm
Light source	integrated LED 67W / 2700K / 2130 lm
Net. weight	5,5kg
Driver	dimmable 24V driver dimmer not included

fosh

suspension lamp up



FO.SU.T1.UP.CL
fosh suspension lamp type 1 up light tundra clay

colors & materials

* Add the code you require to the main part number or check our price list for a total part number overview.


Check www.jaccomarism.com for the latest colors, materials and details or scan the QR code.




Order code	FO.SU.T1.UP.*
Dimensions wxdxh ca	80x58x4,5cm
Standard cable length	300cm
Light source	integrated LED 30W / 2700K / 950 lm
Net. weight	3kg
Driver	dimmable 24V driver dimmer not included

Order code	FO.SU.T2.UP.*
Dimensions wxdxh ca	115x70x4,5cm
Standard cable length	300cm
Light source	integrated LED 44W / 2700K / 1400 lm
Net. weight	3,5kg
Driver	dimmable 24V driver dimmer not included


Order code	FO.SU.T5.UP.*
Dimensions wxdxh ca	185x60x4,5cm
Standard cable length	300cm
Light source	integrated LED 67W / 2700K / 2130 lm
Net. weight	5,5kg
Driver	dimmable 24V driver dimmer not included



wxdxh ca 80x58x4,5cm
type T1



wxdxh ca 115x70x4,5cm
type T2



wxdxh ca 185x60x4,5cm
type T5

fosh

suspension lamp up-down



FO.SU.T1.UP/DOWN.CL
fosh suspension lamp type 1 up&down light tundra clay

colors & materials

* Add the code you require to the main part number or check our price list for a total part number overview.


Check www.jaccomar.com for the latest colors, materials and details or scan the QR code.




Order code	FO.SU.T1.UP/DOWN.*
Dimensions wxdxh ca	80x58x4,5cm
Standard cable length	300cm
Light source	integrated LED 60W / 2700K / 1900 lm
Net. weight	3kg
Driver	dimmable 24V driver dimmer not included

Order code	FO.SU.T2.UP/DOWN.*
Dimensions wxdxh ca	115x70x4,5cm
Standard cable length	300cm
Light source	integrated LED 88W / 2700K / 2800 lm
Net. weight	3,5kg
Driver	dimmable 24V driver dimmer not included


Order code	FO.SU.T5.UP/DOWN.*
Dimensions wxdxh ca	185x60x4,5cm
Standard cable length	300cm
Light source	integrated LED 134W / 2700K / 4260 lm
Net. weight	5,5kg
Driver	dimmable 24V driver dimmer not included



wxdxh ca 80x58x4,5cm
type T1



wxdxh ca 115x70x4,5cm
type T2



wxdxh ca 185x60x4,5cm
type T5

fosh

wall lamp external driver



FO.WA.T1.EX.TI
fosh wall lamp type 1 external driver tundra titanium


colors & materials

* Add the code you require to the main part number or check our price list for a total part number overview.

Check www.jaccomarism.com for the latest colors, materials and details or scan the QR code.



wxdxh ca 80x58x4,5cm
type T1



wxdxh ca 115x70x4,5cm
type T2

Order code	FO.WA.T1.EX.*
Dimensions wxdxh ca	80x58x4,5cm
Standard cable length	300cm
Light source	integrated LED 30W / 2700K / 950 lm
Net. weight	3kg
Driver	external dimmable 24V driver dimmer not included

Order code	FO.WA.T2.EX.*
Dimensions wxdxh ca	115x70x4,5cm
Standard cable length	300cm
Light source	integrated LED 44W / 2700K / 1400 lm
Net. weight	3,5kg
Driver	external dimmable 24V driver dimmer not included

fosh

wall lamp foot dimmer



FO.WA.T1.FD.TI
fosh wall lamp type 1 foot dimmer tundra titanium

colors & materials


* Add the code you require to the main part number or check our price list for a total part number overview.

Check www.jaccomaris.com for the latest colors, materials and details or scan the QR code.




Order code	FO.WA.T1.FD.*
Dimensions wxdxh ca	80x58x4,5cm
Standard cable length	300cm
Light source	integrated LED 30W / 2700K / 950 lm
Net. weight	3kg
Driver	dimnable 24V driver foot dimmer included

Order code	FO.WA.T2.FD.*
Dimensions wxdxh ca	115x70x4,5cm
Standard cable length	300cm
Light source	integrated LED 44W / 2700K / 1400 lm
Net. weight	3,5kg
Driver	dimnable 24V driver foot dimmer included



wxdxh ca 80x58x4,5cm
type T1



wxdxh ca 115x70x4,5cm
type T2

IP 20

Colors and materials as shown on the images may slightly differ from reality.
Any typing errors in the text and interim changes to the collections or specifications are all subject to change.

www.jaccomaris.com
27/07/2026